opentext™

Data Protector 10.x
Platform and Integration Support Matrix

Version: 3.4
Date: July 2019

For the following Data Protector components, only those combinations of Data Protector components, applications, and operating systems are supported for which the corresponding application versions and operating system versions are supported by the respective vendors.

The supported operating system "Windows Server 2008" and "Windows Server 2008 R2" include support for all editions of "Windows Server 2008" and "Windows Server 2008 R2" including Windows Unified Data Storage Server, where applicable.

The supported operating system "Windows Server 2012" and "Windows Server 2012 R2" includes support for all editions of "Windows Server 2012" and "Windows Server 2012 R2" including Windows Unified Data Storage Server, where applicable.

The supported operating system "Windows Server 2016" includes support for all editions of "Windows Server 2016" including "Windows Server 2016 Datacenter", "Windows Server 2016 Standard" and "Windows Server 2016 Essentials", where applicable. Server Core and Nano Server installations are not supported unless explicitly mentioned.

The minimum patch levels for different Windows versions and editions that are supported by Data Protector are –

Operating System	Patch Level
Windows 7	Windows 7 SP1 (with latest Windows updates)
Windows Server 2008	Windows Server 2008 SP2
Windows Server 2008 R2	Windows Server 2008 R2 SP1
Windows 8.1	Windows 8.1 (with Update 2919355)
Windows Server 2012 R2	Windows Server 2012 R2 (with Update 2919355)
Windows 10	Windows 10 version 1507 or higher

There is no minimum patch level for Windows Server 2016 and Windows Server 2019.

Support for SUSE Linux Enterprise Server 11 does not include support for Novell Open Enterprise Server 11.

Data Protector components running in combination with application versions and operating system versions, which are not supported by their respective vendors, the support from Opentext is limited to a reasonable-endeavors basis. At any time, Opentext can decide to remove those combinations from the support matrix.

Acronyms used within the matrix are as follows:

SUSE Linux Enterprise Server - SLES

Red Hat Enterprise Linux – RHEL

Updates/changes to individual fields within the Matrix will be highlighted in RED.

What's New

1. Support of MS SQL Server 2019 on Windows Server 2019
2. Support of MS SQL Server 2019 on Windows Server 2016
3. Support of MS SQL Server 2017 on Windows Server 2019
4. Support of MS SharePoint 2019 on Windows Server 2016
5. Support of MS SharePoint 2019 on Windows Server 2019
6. Support of MS SharePoint 2016 on Windows Server 2016
7. Support of MS SharePoint 2016 on Windows Server 2019
8. Support of Oracle 18c on AIX 7.1 and 7.2
9. Support of Oracle 18c PDB & CDB on HP-UX 11.31 IA
10. Support of SAP HANA 2.0 on SLES for POWER 12 (little endian mode)
11. Support of Media Agent on SLES 15
12. Support of XFS on CentOS 7.x

Table 1: Supported Operating Systems

Supported operating systems	
Data Protector component	Supported operating systems
Cell Manager	• Windows Server 2008 R2 (64-bit) (x64) • Windows Server 2012 (64-bit) (x64) • Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2016 (x64) • Windows Server 2019 (x64) • HP-UX (Itanium) 11.31[1,2] • RHEL[3] 5.x , 6.x, 7.x (x64) • CentOS 6.x, 7.x (x64) • Oracle Linux (OL) 6.x, 7.x (x64) • SLES 11, 12 (x64)
Installation Server	• Windows Server 2008 R2 (64-bit) (x64) • Windows Server 2012 (64-bit) (x64) • Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2016 (x64) • Windows Server 2019 (x64) • HP-UX (Itanium) 11.31[1,2] • RHEL[3] 5.x, 6.x, and 7.x (x64) • CentOS 6.x, 7.x (x64) • Oracle Linux (OL) 6.x, 7.x (x64) • SLES 11, 12 (x64)
Manager-of-Managers (MoM)	• Windows Server 2008 (64-bit) (x64) • Windows Server 2008 R2 (64-bit) (x64) • Windows Server 2012 (64-bit) (x64) • Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2016 (x64) • Windows Server 2019 (x64) • CentOS 6.x, 7.x (x64) • Oracle Linux (OL) 6.x, 7.x (x64) • HP-UX (Itanium) 11.31[1,2] • RHEL[4] 5.x , 6.x, and 7.x (x64) • SLES 11, 12 (x64)
Reporting Server[25]	• Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2016 (x64) • Windows Server 2019 (x64) • CentOS 6.x, 7.x (x64) • RHEL 6.x, 7.x (x64) • SLES 12 (x64) • Ubuntu 14.04 and 16.04 LTS versions

Backup device server (Media Agent), including robotic control	• Windows Server 2008 (64-bit) (x64)
	• Windows Server 2008 R2 (64-bit) (x64)
	• Windows Server 2008 Core (32 bit, 64-bit) (x64)
	• Windows Server 2008 R2 Core (64-bit) (x64)
	• Windows Server 2012 (64-bit) (x64)
	• Windows Server 2012 R2 (64-bit) (x64)
	• Windows Server 2012 Core (x64)
	• Windows Server 2012 R2 Core (x64)
	• Windows Server 2016 (x64)
	• Windows Server 2019 (x64)
	• Novell Open Enterprise Server 11.x for Linux (64-bit)
	• Novell Open Enterprise Server 2015 for Linux (64-bit)
	• HP-UX (PA-RISC) 11.11[1,2], 11.23[1,2], 11.31[1,2]
	• HP-UX (Itanium) 11.23[1,2], 11.31[1,2]
	• Sun Solaris (SPARC) 10, 11
	• Sun Solaris 10, 11 (x86 and x64)
	• Linux (32-bit): RHEL[3] 5.x and 6.x
	                SLES 11
	                Oracle Linux, 5.x and 6.x

Supported operating systems	
Data Protector component	**Supported operating systems**
	• Linux (64-bit): RHEL[3] 5.x (Itanium, x64), 6.x, 7.x (x64) CentOS 5.x and 6.x SLES 11 (Itanium, x64) SLES 12 (x64) SLES 15 (x64) Oracle Linux (OL) 5.x, 6.x, and 7.x (x64) CentOS 5.x, 6.x, and 7.x (x64) Scientific Linux 6.x (x64) Fedora 26 (x64)
Backup device server (Media Agent), without robotic control	All of the above and the following: • IBM AIX 6.x, 7.1, 7.2
Backup agents (Disk Agents)	• Windows 7 (32-bit) • Windows 7 (64-bit) (x64) • Windows 8 (32-bit) • Windows 8 (64-bit) (x64) • Windows 8.1 (64-bit) (x64) • Windows 10 (32-bit) • Windows 10 (64-bit) (x64) • Windows Server 2008 (32-bit)[5] • Windows Server 2008 (64-bit) (x64)[5] • Windows Server 2008 R2 (64-bit)(x64) • Windows Server 2008 Core (32bit)[5] • Windows Server 2008 Core (64-bit) (x64)[5] • Windows Server 2008 R2 Core (64-bit) (x64) • Windows Server 2012 (64-bit) (x64) • Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2012 Core (x64) • Windows Server 2012 R2 Core (x64) • Windows Server 2016 (x64) • Windows Server 2016 Core (x64) • Windows Server 2019 (x64) • Novell Open Enterprise Server 11.x for Linux (64-bit) • Novell Open Enterprise Server 2015 for Linux (64-bit) • Open Enterprise Server 2018 for Linux (64-bit) • HP-UX (PA-RISC) 11.11[1,2], 11.23[1,2], 11.31[1,2] • HP-UX (Itanium) 11.23[1,2], 11.31[1,2] • Sun Solaris (SPARC) 10, 11[6] • Sun Solaris (x86, x64) 10, 11[6] • IBM AIX 6.x, 7.1[7], 7.2 • SCO OpenServer 6.0.0 • OpenVMS 8.3[4], 8.4[4] (Alpha) • OpenVMS 8.3[4], 8.3-1H1[4], 8.4[4] (Itanium) • Mac OS X Server 10.6.x, 10.11.x (64-bit) (x64) • Linux (32-bit): RHEL[3] 5.x and 6.x SLES 11 Oracle Linux (OL) 5.x and 6.x CentOS 5.x and 6.x • Linux (64-bit): RHEL[3] 5.x (Itanium, x64), 6.x, and 7.x (x64) SLES 11[8] (Itanium, x64) SLES 12 (x64) SLES 15 (x64) SLES 11, 12 for SAP Applications (x64) Oracle Linux (OL) 5.x , 6.x, and 7.x (x64) Debian Linux 7.0 (x64) CentOS 5.x (x64), 6.x, and 7.x (x64) Ubuntu 14.04, 16.04 and 18.04 LTS versions Scientific Linux 6.x (x64) Debian 9 (x64)

Supported operating systems	
Data Protector component	**Supported operating systems**
	Fedora 26 (x64) SLES for POWER 12 (little endian mode) SLES ES 6.x (x64) and SLES ES 7.x (x64) • additional UNIX platforms via NFS (on UNIX systems) • additional platforms via shared disks (CIFS /SMB 1, 2, or 3 on Windows systems)

Backup Agents (disk agents) for file system and raw disk backup using AES encryption (FIPS mode)	• Windows 8 (32-bit)
	• Windows 8 (64-bit) (x64)
	• Windows 8.1 (64-bit) (x64)
	• Windows 10 (32-bit)
	• Windows 10 (64-bit) (x64)
	• Windows Server 2008 (32-bit)
	• Windows Server 2008 (64-bit) (x64)
	• Windows Server 2008 R2 (64-bit) (x64)
	• Windows Server 2012 (64-bit) (x64)
	• Windows Server 2012 R2 (64-bit) (x64)
	• Windows Server 2012 Core (x64)
	• Windows Server 2012 R2 Core (x64)
	• Windows Server 2016 (x64)
	• Windows Server 2016 Core (x64)
	• Windows Server 2019 (x64)
	• HP-UX (PA-RISC) 11.11[1,2], 11.23 [1,2], 11.31[1,2]
	• HP-UX (Itanium) 11.23[1,2], 11.31[1,2]
	• Sun Solaris (SPARC) 10, 11 [6]
	• Linux (32-bit): RHEL[3] 5.x and 6.x
	    SLES 11
	    Oracle Linux (OL) 5.x and 6.x
	    CentOS 5.x and 6.x
	• Linux (64-bit): RHEL[3] 5.x (Itanium, x64)
	    RHEL[3] 6.x, 7.x (x64)
	    SLES 11[8] (Itanium, x64)
	    SLES 12 (x64)
	    SLES 15 (x64)
	    Oracle Linux (OL) 5.x, 6.x, and, 7.x
	    CentOS 5.x , 6.x, and 7.x
	    Scientific Linux 6.x (x64)
	    Debian 9 (x64)
	    SLES for POWER 12 (little endian mode)
	    SLES ES 6.x (x64) and SLES ES 7.x (x64)
	    Ubuntu 18.04 LTS version

Backup device server (Media Agent), including robotic control using LTO drive based encryption (AES-GCM)	• Windows Server 2008 (32-bit)
	• Windows Server 2008 (64-bit) (x64)
	• Windows Server 2008 R2 (64-bit) (x64)
	• Windows Server 2012 (64-bit) (x64)
	• Windows Server 2012 R2 (64-bit) (x64)
	• HP-UX (PA-RISC) 11.11[1,2], 11.23[1,2], 11.31[1,2]
	• HP-UX (Itanium) 11.23[1,2], 11.31[1,2]
	• Linux (32-bit): RHEL[3] 5.x and 6.x
	    SLES 11
	    Oracle Linux (OL) 5.x and 6.x
	    CentOS 5.x and 6.x
	• Linux (64-bit): RHEL[3] 5.x (Itanium, x64)
	    RHEL[3] 6.x, 7.x (x64)
	    SLES 11 (Itanium, x64)
	    SLES 12 (x64), SLES 12 for SAP Applications (x64)
	    Oracle Linux (OL) 5.x, 6.x, 7.x (x64)
	    CentOS 5.x, 6.x, and 7.x (x64)

Data Protector StoreOnce B2D Software Store	• Windows Server 2008, 2008 R2, 2012, 2012 R2 (64-bit)(x64) • Linux (64-bit): RHEL[3] 5.x, 6.x, 7.x (x64) SLES 11, 12 (x64)

Supported operating systems	
Data Protector component	**Supported operating systems**
	Oracle Linux (OL) 6.x, 7.x (x64) CentOS 6.x, 7.x (x64)

StoreOnce Application Source and Backup Server Deduplication using Catalyst[9,10]	• Windows Server 2008, 2008 R2, 2012, 2012 R2 (64-bit) (x64), Windows Server 2016 (x64)
	• HP-UX (Itanium) 11.23[1,11], 11.31[1,11]
	• Solaris (SPARC) 10, 11 (64-bit)
	• AIX 6.1, 7.1 (64-bit)[12],7.2(64-bit)[12]
	• Linux (64-bit) RHEL[3] 5.x, 6.x, 7.x (x64)
	       SLES 11, 12 (x64), SLES 12 for SAP Applications (x64)
	       Oracle Linux (OL) 6.x, 7.x (x64)
	       CentOS 6.x, 7.x (x64)
	       Fedora 26 (x64)

EMC Data Domain Boost Application Source and Backup Server Deduplication[13]	• Windows Server 2008, 2008 R2, 2012, 2012 R2[14] (64-bit) (x64)
	• HP-UX (Itanium) 11.31[14]
	• AIX 7.1 (64-bit)[15], 7.2 (64-bit)[15]
	• Solaris (SPARC) 10, 11 (64-bit)[16]
	• Linux (64-bit): RHEL 5.x, 6.x and 7.x (x64)
	       SLES 11, and 12 (x64), SLES 12 for SAP Applications (x64)
	       Oracle Linux (OL) 6.x, 7.x (x64)
	       CentOS 6.x, 7.x (x64)

Smart Cache Backup Server [17,18,19]	• Windows Server 2008, 2008 R2, 2012, 2012 R2 (64-bit)(x64)
	• Linux (64-bit): RHEL 5.x, 6.x and 7.x (x64)
	       SLES 11 (x64), SLES 12 for SAP Applications (x64)
	       Oracle Linux (OL) 6.x and 7.x (x64)
	       CentOS 6.x, 7.x (x64)

Cloud (Helion) Device [20]	• Windows Server 2008, 2008 R2, 2012, 2012 R2 (64-bit) (x64)
	• Linux (64-bit): RHEL 5.x and 6.x (x64)
	       SLES 11 (x64)
	       Oracle Linux (OL) 6.x (x64)
	       CentOS 6.x (x64)

Cloud (AWS S3 and Amazon S3 compatible Ceph and Scality) Device [20, 24]	• Windows Server 2012, 2012 R2, 2016, 2019 (64bit) (x64)
	• Linux (64bit): RHEL 6.x and 7.x (x64)
	       SLES 11(x64), 12 (x64), 12 for SAP Applications (x64)
	       Oracle Linux (OL) 6.x (x64)
	       CentOS 6.x (x64)
	       Fedora 26 (x64)

Cloud (Azure) Device [20]	• Windows Server 2008, 2008 R2, 2012, 2012 R2, 2019 (64-bit) (x64)
	• Linux (64-bit): RHEL 5.x, 6.x and 7.x (x64)
	       SLES 11 (x64), 12 (x64), 12 for SAP Applications (x64)
	       Oracle Linux (OL) 6.x (x64)
	       CentOS 6.x (x64)
	       Fedora 26 (x64)

H3C Application Source and Backup Server Deduplication using Catalyst [21, 22]	• Windows Server 2008, 2008 R2, 2012, 2012 R2 (64-bit) (x64)
	• HP-UX (Itanium) 11.23[1], 11.31[1]
	• Solaris (SPARC) 10, 11 (64-bit)
	• AIX 6.1, 7.1 (64-bit)[23]
	• Linux (64-bit): RHEL[3] 5.x, 6.x, 7.x (x64)
	       SLES 11, 12 (x64)
	• Oracle Linux (OL) 6.x, 7.x (x64)
	  CentOS 6.x, 7.x (x64)

1   HP-UX 11.11 on PA-RISC 1.1 (32bit) is not supported.
     HP-UX 11.23 is HP-UX 11i version 2.0.
     HP-UX 11.31 is HP-UX 11i version 3.0.
2   NIS+ is supported in a DNS environment.
3   Includes support for Red Hat Enterprise Linux Workstation and Enterprise Server if applicable.
4   Push installation not possible, need to be installed locally.
5   Requires installation of Windows patch KB2748349.
6   System Extended Attributes are not supported.
7   Includes support for Veritas Cross-Platform Data Sharing (CDS) disk.
8   SLES 11.x (x64) High Availability Extension is supported

9   Supports StoreOnce software version 4.1 and earlier (CloudBank support from 3.18). For information on the StoreOnce Backup systems and features supported by this StoreOnce software version, see the *BURA Compatibility Matrix* available at www.hpe.com/storage/BURACompatibility.

10 StoreOnce system Catalyst version 3.16.x and later releases support replication over Fibre Channel (FC).

11 Backup to the Data Protector StoreOnce Software store is not supported.

12 Support for StoreOnce Catalyst version 4.1 and earlier over Fibre Channel (FC) with AIX platform requires to have dedicated ports for every StoreOnce node. For more information, see StoreOnce documentation.

13 Supported for DDOS versions 5.4, 5.5, 5.6, 5.7, 6.0 and 6.1.

14 DD OS 6.0 and 6.1 is supported only for CIFS, NAS and VTL. LTO-5 is not supported with DD OS 6.1.

15 Data Domain Boost devices configured on AIX using the Fibre Channel (FC) protocol supports only one Data Protector connection per SAN path or Data Domain end point. Due to this, AIX gateways using the Fibre Channel interface automatically get their 'Max. Number of Parallel connections per Gateway' parameter set to 1. Operations such as consolidation and replication need multiple connections per operation and will not succeed with this configuration. If additional SAN paths are added, then the AIX server's gateway settings should be modified to allow these operations to succeed.

16 The Fibre Channel (FC) protocol is not supported for DDOS versions 5.4, 5.5, 5.6, and 5.7. FC protocol is supported on Solaris 11 (SPARC) for DDOS version 6.0 and newer.

17 Supports all NAS and SAN devices using CFS and NFS shares, and SAN devices using the local FS mount.

18 Device on Microsoft Azure StoreSimple is supported via Smart Cache device.

19 A Smart Cache device is not supported on a virtual node in a clustered environment.

20 Object copy to the Cloud device (Microsoft Azure blob storage, HPE Helion object stores and S3 object storage) is supported. Direct backup to Cloud device is supported on Microsoft Azure blob storage and S3 object storage only.

21 H3C system hosted Catalyst stores version 3.16.x supports replication over Fibre Channel (FC).

22 Supports H3C software version 3.16.x, 3.15.x and 3.14.x. For information on the H3C Backup systems and features supported by this H3C software version, see the *BURA Compatibility Matrix* available at www.hpe.com/storage/BURACompatibility.

23 Support for H3C Catalyst version 3.16.x, 3.15.x and 3.14.x over Fibre Channel (FC) with AIX platform requires to have dedicated ports for every H3C node. For more information, see H3C documentation.

24 Supported targets must comply with Amazon Signature Version 4 requirements.

25 Reporting server can't be installed on Data Protector Cell Manager / Installation server / Client. It needs to be installed on a separate server

Table 2: Supported CLI Platforms and Localization

Supported CLI platforms and localization	
Operating system	Supported local languages
Windows	• English • French • Japanese • Simplified Chinese
HP-UX	• English • French • Japanese • Simplified Chinese
Solaris	• English
Linux	• English • French • Japanese • Simplified Chinese
IBM AIX	• English
Novell Open Enterprise Server	• English
SCO OpenServer	• English
OpenVMS	• English
VMware ESX	• English
Mac OS X Server	• English

Table 3: Graphical User Interface Support

Graphical user interface support[1]	
GUI component	Supported operating system
Native Windows graphical user interface	• Windows 7 SP1 (32-bit) • Windows 7 SP1 (64-bit) (x64) • Windows 8.1 (32-bit) • Windows 8.1 (64-bit) (x64) • Windows 10 (32-bit) • Windows 10 (64-bit) (x64) • Windows Server 2008 R2 SP1 (64-bit) (x64) • Windows Server 2012 (64-bit) (x64) • Windows Server 2012 R2 (64-bit) (x64) • Windows Server 2016 (x64)[2] • Windows Server 2019 (x64)[2]

[1]   Graphical user interface is supported for following languages:
- English
- French
- Japanese
- Simplified Chinese

[2]   Only English language is supported.

Table 4: Platform Restrictions for Supported Operating Systems

Platform restrictions for supported operating systems		
Operating system	Supported processor platforms	
HP-UX	PA-RISC 2.0 Itanium	(HP-UX 11.11, 11.23, 11.31) (HP-UX 11.23, 11.31)
Windows	x86, x86_64 x86_64	(for 32-bit Windows) (for 64-bit Windows)
Linux	x86, x86_64 Itanium, x86_64	(for 32-bit Linux) (for 64-bit Linux)
Sun Solaris	SPARC x86, x86_64	 (for Solaris 10,11 Disk Agent and Media Agent only)
OpenVMS	Alpha, Itanium	
Mac OS X	x86_64	(Mac OS X 10.6.x, 10.11.x)

The following table includes combinations of only those applications and operating systems that are supported by the respective vendors. Software-based encryption is supported for all integrations except ZDB[7].

Table 5: Supported online database and application integrations

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions

Oracle (32-bit)
 	
(including Oracle Data Guard/Standby Database support)
	• Oracle 11g/
	  Recovery Manager[1]
	
	• Oracle 11g R2/
	  Recovery Manager[1]
		Windows Server 2008 (32-bit)
		RHEL[2] 5.x (32-bit)
		SLES 11 (32-bit)
		Oracle Linux (OL) 5.x (32-bit)
		RHEL[2] 5.x (32-bit)
		SLES 11 (32-bit)
		Oracle Linux (OL) 5.x (32-bit)

Oracle (64-bit)	• Oracle 10g R2/ Recovery Manager	HP-UX 11.31 (64-bit) (Itanium) Solaris (SPARC) 10 (64-bit) Windows Server 2008 R2 (SP1) (64-bit) RHEL[2] 5.x (x64) SLES 11 (x64) AIX 6.1 (64-bit) Solaris 10 (x64)

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
Oracle (64-bit) (Including Oracle Data Guard/Standby Database support)	• Oracle 10g R2	Windows Server 2008 R2 (64-bit) (x64) Solaris (SPARC) 10 RHEL 5.x SLES 11
	• Oracle 11g/ Recovery Manager[1]	HP-UX 11.23, 11.31 (64-bit) (Itanium, PA-RISC) Solaris (SPARC) 10,11 (64-bit) Windows Server 2008 (64-bit) (x64) Windows Server 2008 R2 (64-bit) (x64) AIX, 6.x (64-bit) RHEL[2] 5.x, 6.x (x64) SLES 11 (x64) Oracle Linux (OL) 5.x, 6.x (64-bit) (x64)
	• Oracle 11g R2/ Recovery Manager[1]	HP-UX 11.31 (64-bit) (Itanium, PA-RISC) RHEL[2] 5.x, 6.x, 7.x (x64) SLES 11 (x64) Oracle Linux (OL) 5.x, 6.x, 7.x (x64) CentOS 6.x (64-bit)(x64) Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64) AIX 6.x, 7.1 (64-bit) Solaris (SPARC) 10, 11 (64-bit) Solaris 10, 11 (x64)
	• Oracle 12c R1/ Recovery Manager[17]	HP-UX 11.31 (64-bit) (Itanium) Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64) RHEL 6.x, 7.x (x64) (with or without HPE ServiceGuard) SLES 11, 12 (x64) Oracle Linux (OL) 6.x, 7.x (64-bit)(x64) CentOS 6.x, 7.x (x64) AIX 6.1, 7.1 (64-bit), 7.2 (64-bit) Solaris (SPARC) 10, 11 (64-bit) Solaris 10, 11 (x64)
	• Oracle 12c R2/ Recovery Manager[17]	Windows Server 2012 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) RHEL 6.x, 7.x (x64) (with or without HPE ServiceGuard) SLES 12 (x64) SLES 15 (x64) Oracle Linux (OL) 7.x (x64) CentOS 6.x, 7.x (x64) AIX 7.1, 7.2 (64-bit) Solaris (SPARC) 11 (64-bit) Solaris 11 (x64) HP-UX 11.31 (64-bit) (Itanium)
	• Oracle 18c/ Recovery Manager[17]	Windows Server 2012 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) RHEL 7.x (x64) Oracle Linux (OL) 7.x (x64) HP-UX 11.31 (64-bit) (Itanium) SLES 12 (x64) Solaris (SPARC) 11 (64-bit) Solaris 11 (x64) AIX 7.1, 7.2 (64-bit)
Informix (64-bit)	• Informix IDS 11.5	HP-UX 11.11 HP-UX 11.23, 11.31 (Itanium, PA-RISC)

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
		Solaris (SPARC) 10 AIX, 6.x, 7.1 RHEL[2] 5.x, 6.x (x64) SLES 11 (x64)
	• Informix IDS 11.7	HP-UX 11.31(Itanium, PA-RISC) Solaris (SPARC) 10, 11 RHEL[2] 6.x (x64) SLES 11 (x64) Windows Server 2008 R2 (x64) AIX 6.1, 7.1 (64-bit)
	• Informix IDS 12.1	HP-UX 11.31 (64-bit)(Itanium) RHEL[2] 6.x, 7.x (x64) SLES 11, 12 (x64) Solaris (SPARC) 11 (64-bit) AIX 7.1 (64-bit), AIX 7.2 (64-bit)
Sybase (64-bit)	• Sybase Adaptive Server Enterprise 15.x	HP-UX 11.23, 11.31 (Itanium, PA-RISC) Solaris (SPARC) 10 RHEL[2] 5.x (x64) AIX, 6.x
	• Sybase Adaptive Server Enterprise 15.7	HP-UX 11.31 (Itanium) RHEL[2] 6.x (x64) SLES 11, 12 (x64) Solaris (SPARC) 10, 11 AIX 6.1, 7.1 Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64)
	• Sybase Adaptive Server Enterprise 16	RHEL[2] 6.x, 7.x (x64) HP-UX 11.31 (Itanium) SLES 11, 12 (x64) SLES 11 for SAP Applications (64-bit) Solaris (SPARC) 10, 11 Windows Server 2012 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) AIX 6.1, 7.1, 7.2
Microsoft SQL Server (32-bit)	• Microsoft SQL Server 2008[7,13]	Windows Server 2008 Windows Server 2008
	• Microsoft SQL Server 2008 R2[7,11,13]	Windows Server 2008
	• Microsoft SQL Server 2012[7,13]	Windows Server 2008
	• Microsoft SQL Server 2014[7,13]	Windows Server 2012 R2
Microsoft SQL Server (64-bit)	• Microsoft SQL Server 2008[7,13]	Windows Server 2008 (x64) Windows Server 2008 (x64) Windows Server 2008 R2 (x64)
	• Microsoft SQL Server 2008 R2[7,11,13]	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 Windows Server 2012 R2 (x64)
	• Microsoft SQL Server 2012[7,13]	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64)
	• Microsoft SQL Server 2014[7,13]	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64)[20] Windows Server 2016 (x64) [20]

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
	• Microsoft SQL Server 2016[7,13]	Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64) [20]
		Windows Server 2016 (x64) [20]
		Windows Server 2019 (x64)
	• Microsoft SQL Server 2017[7,13]	Windows Server 2012 (x64)
		Windows Server 2012 (x64) R2 (x64)[20]
		Windows Server 2016 (x64) [20]
		Windows Server 2019 (x64)
	• Microsoft SQL Server 2019[7,13]	Windows Server 2016 (x64)
		Windows Server 2019 (x64)
Microsoft SQL Server Premium Edition (64-bit)	• Microsoft SQL Server 2014[7,13]	Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
		Windows Server 2016 (x64)
	• Microsoft SQL Server 2016[7,13]	Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
		Windows Server 2016 (x64)
		Windows Server 2019 (x64)
Microsoft SharePoint[14]		Windows Server 2008 (32-bit)
		Windows Server 2008 (64-bit) (x64)
	• Microsoft SharePoint Server 2010[3]	Windows Server 2008 (64-bit) (x64)
		Windows Server 2008 R2 (64-bit) (x64)[8]
	• Microsoft SharePoint Server 2013[3]	Windows Server 2008 R2 (SP1) (x64)
		Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
	• Microsoft SharePoint Server 2016	Windows Server 2016 (x64)
		Windows Server 2019 (x64)
	• Microsoft SharePoint Server 2019	Windows Server 2016 (x64)
		Windows Server 2019 (x64)
	Windows SharePoint Services 3.0	Windows Server 2008 (32-bit)
		Windows Server 2008 (64-bit) (x64)
	• Microsoft SharePoint Foundation 2010	Windows Server 2008 (64-bit) (x64)
		Windows Server 2008 R2 (64-bit) (x64)
	• Microsoft SharePoint Foundation 2013[3]	Windows Server 2008 R2 (SP1) (x64)
		Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
Microsoft Exchange Server (including single mailbox and folder and DAG[19] backup / restore)	• Microsoft Exchange Server 2010	Windows Server 2008 (64-bit) (x64) [9]
		Windows Server 2008 R2 (64-bit) (x64) [9]
		Windows Server 2012 [9]
	• Microsoft Exchange Server 2013[9,12]	Windows Server 2008 R2 (x64)
		Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
	• Microsoft Exchange Server 2013[9,12]	Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
	• Microsoft Exchange Server 2016[9,12]	Windows Server 2012 (x64)
		Windows Server 2012 R2 (x64)
		Windows Server 2016 (x64)
	• Microsoft Exchange Server 2019	Windows Server 2019 (x64)
Microsoft Data Protection Manager (DPM)	• Data Protection Manager 2007	
	• Data Protection Manager 2010	Windows Server 2008 (x64)
		Windows Server 2008 R2 (x64)
IBM DB2 (32-bit)		AIX 6.x (32-bit)
	• IBM DB2 9.5	RHEL[2] 5.x (32-bit)
		SLES 11 (32-bit)

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
	• IBM DB2 9.7	Windows Server 2008 (32-bit) AIX 6.x (32-bit, 64-bit) RHEL[2] 5.x, 6.x (32-bit) SLES 11 (32-bit) Windows Server 2008 (32-bit) AIX 6.x (32-bit)
IBM DB2 (64-bit)	• IBM DB2 9.5	HP-UX 11.23, 11.31 (Itanium) AIX 6.x (64-bit) RHEL[2] 5.x (x64) SLES 11 (x64)
	• IBM DB2 9.7	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) HP-UX 11.23, 11.31 (Itanium) AIX 6.x, 7.1 (64-bit) RHEL[2] 5.x, 6.x (x64) SLES 11 (x64) SLES 11 for SAP Applications (x64)
	• IBM DB2 10.1	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) HP-UX 11.31 (Itanium) AIX 7.1 (64-bit) RHEL 6.x (64-bit) (x64) SLES 11 (x64)
	• IBM DB2 10.5	Windows Server 2008 R2 (64-bit)(x64) HP-UX 11.31 (Itanium) AIX 7.1 (64-bit) AIX 7.2 (64-bit) RHEL 6.x, 7.x (x64) SLES 11, 12 (x64) SLES 11, 12 for SAP Applications (x64) Windows Server 2008 R2 (64-bit)(x64) Windows Server 2012 (64-bit) (x64) Windows Server 2012 R2 (64-bit) (x64)
	• IBM DB2 11.1	AIX 7.2 (64-bit) RHEL 7.x (x64) SLES 12 (x64) SLES 12 for SAP Applications (x64) Windows Server 2012 (64-bit) (x64) Windows Server 2012 R2 (64-bit) (x64) Windows Server 2016 (64-bit) (x64)
Lotus Notes, Lotus Domino (32-bit) (including single mailbox backup and restore)	Lotus Domino/Notes 8.5.x	Windows Server 2008 (64-bit) (x64) Windows Server 2008 R2 (64-bit) (x64) AIX 6.x (64-bit) Solaris 10 (SPARC) RHEL[2] 5.x (32-bit) RHEL[2] 5.x, 6.x (x64)
Lotus Notes, Lotus Domino (64-bit) (including single mailbox backup and restore)	Lotus Domino/Notes 8.5.x	Windows Server 2008 (64-bit) (x64) Windows Server 2008 R2 (64-bit) (x64) AIX 6.x, 7.1 (64-bit) Solaris 10, 11 (SPARC)
	• IBM Notes and Domino 9.0.x	Windows Server 2012 (64-bit) (x64) Windows Server 2012 R2 (64-bit) (x64) Windows Server 2016 (64-bit) (x64) AIX 6.x, 7.1 (64-bit), 7.2 (64-bit) RHEL 6.x (x64) SLES 11 (x64)
SAP MaxDB (32-bit) (online integration based on 'Backint for SAP MaxDB')	• SAP MaxDB version 7.6 • SAP MaxDB version 7.7	RHEL[2] 4.x, 5.x (32-bit)
	• SAP MaxDB version 7.8	RHEL[2] 4.x, 5.x (32-bit) Windows Server 2008 (32bit)

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
SAP MaxDB (64-bit) (online integration based on 'Backint for SAP MaxDB')	• SAP MaxDB version 7.6	HP-UX 11.11 HP-UX 11.23, 11.31 (PA-RISC, Itanium) RHEL[2] 5.x (Itanium, x64) AIX 6.1 (x64)
	• SAP MaxDB version 7.7	HP-UX 11.11 HP-UX 11.23, 11.31 (PA-RISC, Itanium) Windows Server 2008 (x64) SLES 11 (Itanium, x64) RHEL [2] 5.x (x64) AIX 6.1, 7.1
	• SAP MaxDB version 7.8	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) RHEL 6.x (x64) SLES 11 (x64) HP-UX 11. 31 (Itanium) AIX 6.1, 7.1(64bit)
	• SAP MaxDB version 7.9	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) RHEL 6.x (x64) SLES 11 (x64) HP-UX 11. 31 (Itanium) AIX 6.1, 7.1 (64-bit), 7.2 (64-bit)
SAP NetWeaver[4] (32-bit)	• SAP BR*Tools 7.2, using backint or RMAN mode	RHEL[2] 5.x, 6.x SLES 11
SAP NetWeaver[4] (64-bit)	• SAP BR*Tools 7.2, using backint or RMAN mode[6]	HP-UX 11.31 (Itanium, PA-RISC) Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Solaris (SPARC) 10, 11 AIX 6.x, 7.1 RHEL[2] 5.x (Itanium, x64) RHEL[2] 6.x (x64) SLES 11 (Itanium, x64) Oracle Linux (OL) 6.x (x64)
	• SAP BR*Tools 7.4, using backint or RMAN mode	SLES 11, 12 (x64) SLES 11, 12 for SAP Applications (x64) RHEL 6.x, 7.x (x64) Oracle Linux 6.x (x64) Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) HP-UX 11.31 (Itanium) Solaris (SPARC) 11 AIX 6.1, 7.1, 7.2
SAP HANA (64-bit)	SAP HANA 1.0[18] (SPS 12 & earlier)	SLES[15] 11, 12 (64-bit) (x64) SLES[15] 11, 12 for SAP Applications (x64) RHEL[2] 6.x, 7.x (x64)
	SAP HANA 2.0[18] (SPS 03 & earlier)	SLES 12 (x64) , 12 for SAP Applications (x64) RHEL[2] 7.x (x64) SLES for POWER 12[21] (little endian mode)

Supported online database and application integrations		
Databases/Applications	Supported versions	Operating System with versions
MySQL (64-bit)	• MySQL version 5.6 MEB 3.10, 3.11, 3.12	Windows Server 2008 (x64) Windows Server 2008 R2 (x64) Windows Server 2012 (x64) Windows Server 2012 R2 (x64) SLES 11, 12 (x64) RHEL[2] 5.x, 6.x, 7.x (x64)
	• MySQL version 5.7 MEB 4.0	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) SLES 11, 12 (x64) RHEL[2] 6.x, 7.x (x64)
	• MySQL version 8.0	Windows Server 2012 R2 (x64) Windows Server 2016 (x64) SLES 11, 12 (x64) RHEL[2] 7.x (x64)
PostgreSQL (64-bit)	• PostgreSQL version 9.2	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) RHEL[2] 6.x (x64) SLES 11 (x64)
	• PostgreSQL version 9.3	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) RHEL[2] 6.x (x64) SLES 11 (x64)
	• PostgreSQL version 9.4	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) RHEL[2] 6.x, 7.x (x64) SLES 11, 12 (x64)
	• PostgreSQL version 9.5	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) RHEL[2] 6.x, 7.x (x64) SLES 12 (x64)
	• PostgreSQL version 9.6	Windows Server 2008 R2 (x64) Windows Server 2012 R2 (x64) Windows Server 2016 (x64) RHEL[2] 6.x, 7.x (x64) SLES 12 (x64)
	• PostgreSQL version 10	Windows Server 2012 R2 (x64) Windows Server 2016 (x64) RHEL[2] 6.x, 7.x (x64) SLES 12 (x64)

1   Oracle 11g covers all released versions of Oracle 11g and 11g R2: i.e. 11x.x.

2   Includes support for Red Hat Enterprise Linux Workstation and Enterprise Server also.

3   SharePoint Granular Recovery Extension is also supported.

4   Data Protector uses the official SAP backup and restore API (BR*Tools), which is available only in conjunction with Oracle database. Therefore, Data Protector support only depends on the SAP BR*Tools version (as supported by SAP in combination with various SAP kernels) and not on the SAP kernel version.

6   BR*Tools 7.20 is the recommended version of the tools for Oracle 11g. To be able to use BR*Tools under Oracle 11g on Unix platforms (except for AIX), you must set up the following soft link in $ORACLE_HOME/lib:
    > ln -s libnnz11.so libnnz10.so

7   For MS SQL integration fast direct mode backup, Data Protector client based AES encryption is not supported.

8   Microsoft FAST Search Server 2010 for SharePoint is supported.

9   Microsoft Exchange Server Granular Recovery Extension is also supported.

11   Support is also available for Microsoft SQL Server 2008 R2 Express edition. Please refer to Microsoft websites for supported Operating Systems/Platforms.

12   Backup and restore of single mailbox, folder, and DAG are supported only through MS Exchange Granular Recovery Extension.

13	Data Protector can backup and restore SQL Server databases encrypted with Transparent Data Encryption. IMPORTANT NOTE: It is the user's responsibility that the exact combination of encryption keys / certificates are used for backup and for restore. If encryption keys / certificates change between the time of backup and restore, the Data Protector restore will not work, unless all needed keys / certificates were copied and restored manually as described in http://msdn.microsoft.com/en-us/library/bb964742.aspx and supported through Microsoft. This process is complex and could be error prone. The key / certificate handling process is manual and not integrated into Data Protector and is therefore not supported by Opentext in case it is not correctly applied by the user.
14	Microsoft SQL Server 2008 is supported for Microsoft SharePoint 2010, Microsoft SQL Server 2012, 2014 and 2016 (StandAlone and Always On Availability Group) is supported for Microsoft SharePoint 2013 and Microsoft SQL Server 2016 (StandAlone) is supported for Microsoft SharePoint 2016 and Microsoft SharePoint 2019
15	Btrfs File System is supported only with SLES 11 SP3 and later.
16	Not applicable for Oracle 10g R2 support.
17	Backup & Recovery of Container and Pluggable Databases (CDB & PDB) are supported.
18	Single/Multiple Container and Multitenant Database Container are supported.
19	Microsoft Exchange Server DAG configured without a Cluster Administrator Access Point is supported only with Round Robin DNS mapping of the DAG name to all the node IPs
20	Availability Group configuration is supported with Microsoft SQL Server.
21	SAP HANA Multi Host is not supported

Table 6: Other supported applications

Other supported applications	
Application agents	**Supported databases and integrations**
Storage Optimizer 5.x	• Windows Server 2008 and higher
All HSM software based on the Windows NTFS offline feature	• Windows Server 2008 and higher

Cluster support: Table 7 shows the cluster support for the Cell Manager component. All other agents are supported in a clustered environment on a particular platform, unless specifically called out in the table.

Table 7: Supported clusters

Supported clusters[6, 7]		
Cluster software	**Supported cluster software version**	
HPE MC/ServiceGuard (including Veritas CFS)	• HPE MC/ServiceGuard 11.1x	HP-UX 11.31 (PA-RISC, Itanium)
	• HPE MC/ServiceGuard 11.2x [1]	HP-UX 11.31 (PA-RISC, Itanium)
	• HPE MC/ServiceGuard 12.00.x for Linux	RHEL 6.x (x64), SLES 11 (x64), RHEL 7 (x64), SLES 12 (x64)
	• HPE MC/ServiceGuard 12.3x for Linux (x64)	RHEL 7.x
	• HPE MC/ServiceGuard 11.2x for Linux [2, 5]	RHEL 5.x, 6.x, 7.x (x64), SLES 11
Microsoft Cluster Server	• Microsoft Failover Cluster [4]	Windows Server 2008 (32-bit) Windows Server 2008 (64-bit) (x64) Windows Server 2008 R2 (64-bit) (x64) Windows Server 2012 (64-bit) (x64) Windows Server 2012 R2 (64-bit) (x64) Windows Server 2016 (64-bit) (x64) Windows Server 2019 (64-bit) (x64)
Veritas Cluster Server	• Veritas Cluster Server 5.1 (Disk Agent and Cell Manager)	Windows 2008 R2 (64bit)(x64) HP-UX 11.31 (Itanium) RHEL 5.x, 6.0,6.3 (x64) SLES 11 (x64)
	• Veritas Cluster Server 6.2 (Disk Agent and Cell Manager)	RHEL 6.6 (x64)
	• Veritas InfoScale 7.3 (Cell Manager)	RHEL 7.5 (x64) SLES 12 (x64)

1   For HPE MC/ServiceGuard 11.20, cluster wide device special files (cDSFs) are supported.

2   Procedures for installing and configuring Data Protector on MC/ServiceGuard with Linux are available in the *Data Protector Help*. Zero Downtime Backup with SMIS Agent is not supported.

3　Details for installing and configuring Data Protector in OpenVMS cluster environment are available in *Data Protector Installation Guide*.
4　Includes support for Cell Manager on 'Majority Node Cluster'.
5　With HPE MC/ServiceGuard A.11.20.20 on Linux the CONFIGURATION backup needs to be excluded from the backup specification. BMDR is not supported.
6　Data Protector supports clustering provided through native operating system as long as OS support is listed in this document for the specific Data Protector component
7　StoreOnceSoftware Agent is not supported in cluster environment

Table 8: Supported application clusters

Supported application clusters	
Software clusters and clustered applications	Supported versions and operating systems
Novell GroupWise	• Novell GroupWise 8.0　　Novell OES 11 for Linux 64-bit
Oracle 11g RAC (including OCFS and CRS wherever applicable)	• RHEL 5.x, 6.x (x64) (using Redhat Cluster Suite) • SLES 11 • HP-UX 11.23, HP-UX 11.31 (with or without MC/ServiceGuard) • Windows Server 2008 (using Microsoft Failover Cluster) • Windows Server 2008 R2 (using Microsoft Failover Cluster) • Windows Server 2008 (using Veritas Cluster Server) • Windows Server 2008 R2 (using Veritas Cluster Server) • Solaris (SPARC) 10 • AIX 6.x • Oracle Linux (OL) 5.x, 6.5 (64-bit)
Oracle 11g R2 RAC (including OCFS and CRS wherever applicable)	• HP-UX 11.31 (with or without MC/ServiceGuard) • RHEL 5.x, 6.x (x64) (using Redhat Cluster Suite) • SLES 11 (32bit) (x86), (64bit) (x64) • Oracle Linux (OL) 5.x, 6.x (64-bit) • AIX 6.x, 7.1 (64-bit) • Windows Server 2008 (using Microsoft Failover Cluster) • Windows Server 2008 R2 (using Microsoft Failover Cluster) • Windows Server 2012 (64-bit) • Windows Server 2012 R2 (64-bit) • Solaris (SPARC) 10, 11 (64-bit)
Oracle 12c R1 RAC (including OCFS and CRS wherever applicable)	• Windows Server 2012 (using Microsoft Failover Cluster) • Windows Server 2012 R2 (x64) • Oracle Linux (OL) 6.x, 7.x (x64) • RHEL 6.x, 7.x (x64) (using Redhat Cluster Suite and with or without MC/ServiceGuard) • SLES 11 (64-bit) (x64) • HP-UX 11.31 (Itanium) (with or without MC/ServiceGuard) • Solaris (SPARC) 10,11 • AIX 7.1 (64-bit)
Oracle 12c R2 RAC (including OCFS and CRS wherever applicable)	• Windows Server 2016 (x64) • RHEL 6.x, 7.x (x64) (using Redhat Cluster Suite and with or without MC/ServiceGuard) • AIX 7.2 (64-bit)
Oracle 18c RAC (including OCFS and CRS wherever applicable)	• Windows Server 2012 (x64) • Windows Server 2012 R2 (x64) • Windows Server 2016 (x64) • RHEL 7.x (x64) • SLES 12 (x64) • Solaris (SPARC) 11
Lotus Domino 8.5 Cluster	• Windows 2008 (32-bit)
IBM DB2 Partitioned Database[1]	• HP-UX 11.23, 11.31 (Itanium) • AIX 6.x, 7.1 (64-bit) • RHEL[2] 5.x (x64) • SLES 11 (x64) • Windows Server 2008 (x64) • Windows Server 2008 R2 (x64)

1　DB2 partitioned databases support is currently limited to single host partitions.

2   Includes support for Red Hat Enterprise Linux Advanced Workstation and Enterprise Server also.
3   Backup & Recovery of Container and Pluggable Databases (CDB & PDB) are supported.

Table 9: Supported file systems

Supported file systems	
Operating system	**File systems**
Windows Server 2008	• NTFS 3.1(including disk image backup) • FAT16, FAT32 • CIFS
Windows 7 / Windows Server 2008 R2	• NTFS 3.1(including disk image backup) • FAT16, FAT32 • CIFS
Windows 8/ Windows 10 / Windows Server 2012 / Windows Server 2012 R2 / Windows Server 2016 / Windows Server 2019	• NTFS 3.1(including disk image backup) • FAT32 • CIFS • REFS
Novell Open Enterprise Server	• NSS
HP-UX [1]	• HFS (including rawdisk backup) • NFS • LOFS [2] (loopback file system) • VxFS (including rawdisk backup) • DCE DFS • EVFS (HP-UX 11.23 only as rawdisk backup) • NetApp Filer NFS
Solaris[1]	• UFS • NFS • PC FS (MS DOS compatible file system) • HSFS • VxFS • Tmp FS • LOFS [2] (Loopback file system) • ZFS
IBM AIX[1]	• JFS (journaling file system) • JFS2 • GPFS • VxFS
SCO OpenServer[1]	• HTFS (High Throughput file system) • DTFS • S51K • S52K
Linux (Redhat, SUSE, Debian, Oracle Enterprise Linux, CentOS)[1,5]	• ext, ext2, ext3, ext4 • minix • xiafs • ReiserFS[4] • VxFS • XFS[3] • VFAT • SFS/LustreFS • NFS • GFS • GFS2 • OCFS2[4] • GPFS • ACFS • IBRIX (Extended attribute) • NetApp Filer NFS • Btrfs
OpenVMS	• ODS-2

Supported file systems	
Operating system	File systems
	• ODS-5
Mac OS X Server	• HFS+

[1]   Raw disk backup is supported.
[2]   Raw disk backup is not supported.
[3]   XFS is supported on RHEL6.x, RHEL 7.x and CentOS 7.x
[4]   SLES 12 is not supported.
[5]   Only ext3, ext4 and XFS are supported on SLES for POWER 12 (little endian mode)

Table 10: ACL support

ACL support[1]	
Operating system	File system
Windows Server 2008	NTFS
Windows 7	NTFS
Windows Server 2008 R2	NTFS
Windows 8	NTFS
Windows 10	NTFS
Windows Server 2012	NTFS
Windows Server 2016	NTFS
Windows Server 2019	NTFS
HP-UX	HFS
HP-UX	VxFS[2]
OpenVMS	ODS-2, ODS-5
Solaris	UFS, VxFS (3.5), ZFS
Linux	ext3 ext4 SFS/LustreFS XFS[3]
Mac OS X Server	HFS+

[1]   The basic and extended ACL limits are based on the kernel or file system limits in the respective operating systems.
[2]   For HP-UX 11i v1 (11.11) maximum supported ACLs are 16.
       For HP-UX 11i v2 and 11i v3 maximum supported ACLs are 1024.
[3]   Supported on RHEL 7.x, CentOS 7.x and Oracle Linux 7.x